REQUEST FOR QUOTATIONS

Procurement of Goods under RFQ/Shopping Procedures

(Open Competitive Bidding)

Purchaser: Meghalaya Basin Management Agency (MBMA)

Contract title: Procurement of Furniture's, It Equipment's and Electrical

Items for the State Project Management Unit (SPMU)

RFQ No: *MBMA/MPOWER/11/2025-26/GD-5*

S#	Description	Date & Time
1	Date of Issue of RFQ	21 th August 2025
2	Last Date and Time of submission of RFQs	28 th August 2025, at 1600 Hrs.
3	Opening of RFQs	28 th August 2025, at 1630 Hrs.



MEGHALAYA BASIN MANAGEMENT AGENCY (MBMA)

Regd. Address: House No. L/ A-56 Lower Nongrim Hills,

Shillong, East Khasi Hills, Meghalaya- 793003 (CIN No. U75144ML2012NPL008509)

Phone: +91-364- 2522921/2522992

Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

Ref No.: MBMA/MPOWER/11/2025-26/GD-5 Date: 20th August, 2025

INVITATION FOR QUOTATIONS FOR PROCUREMENT OF FURNITURE'S, IT EQUIPMENT'S, AND ELECTRICAL ITEMS FOR THE SPMU UNDER MPOWER, MBMA

То		

Dear Sir/Madam,

Subject: Invitation For Quotations For Procurement of Furniture's, It Equipment's And Electrical Items For SPMU Under MPOWER, MBMA.

The Government of India has applied financing in the amount of US\$ 50.00 million equivalent from the World Bank, towards a part of the cost of the Meghalaya Multisectoral Project for Adolescent Wellbeing, Empowerment and Resilience (MPOWER), Meghalaya Basin Management Agency (MBMA) and it intends to apply the proceeds of this Loan to make payments for goods, works, related services and consulting services to be procured under this project.

1. You are invited to submit your most competitive quotation for the following goods as per the mentioned lots below:

*Detailed Specifications given at Annexure 1

Category	Lot#	Sl No.	Items	Quantity	Consignee Address	Delivery Period
		1	Conference Table with PLU socket	1		
		2	Modular Tables	10		
		3	Revolving chairs with headrest	2		
F .4	-	4	Revolving chairs without headrest	18	As Mentioned in	
Furniture	1	5	Almirah	2	CL 4 of the	7 Days
		6	Plastic Armless Chair	10	T&Cs	
		7	Drawer/ Cabinets	10		
		8 Workstation Partitions		10	10	
		9	Bulletin Board	1		
		10	Glass Whiteboard	3		

		1	Smart TV with projection & HDMI Cable	1	
IT	2	2	Video Conferencing Camera	1	
		3	Sound bar	1	
		4	Printer MFP	1	
				•	
		1	Stand Fan	3	
	3	2	Heater	3	
Electrical		3	Electric Kettle	2	
		4	RO Water Connection	1	
		5	Microwave	1	
		•			

^{*:} bidder may apply for one or more lots; however, they are requested to mention the lot numbers they are bidding for.

Terms and Conditions

- 1. Eligibility: A Bidder (a) shall not participate in more than one Quotation; (b) shall not have conflict of interest as defined in the Bank's Procurement Regulations; and (c) should not have been (i) temporarily suspended or debarred by the World Bank Group in compliance with the Bank's Anti-Corruption Guidelines and its Sanctions Framework; or (ii) blacklisted or suspended by Central or any State Government Departments in India.
- **2.** Clarifications & Amendments: If the Purchaser receives any request for clarification of this RFQ Document, it will upload its response together with any amendment to this document, on www.mbma.org.in for information of all Bidders. Bidders should check on the website, for any amendments to the terms and conditions and for Award of Contract.
- **3. Bid- Submission of Quotations:** The bidders can submit their quotation in Hard Copy at the O/o MegARISE, RDL Building, Springside, Lumsohphoh Nongthymmai, Shillong- 793014.

4. Place of Delivery:

O/o the Meghalaya Basin Development Authority, Behind Bethany Hospital, Nongrim Hills, Shillong – 793003.

5. Quotation Price

- a) The bidder must mention the lot that they are offering. However, the quantity offered should be 100% of the requirement for the quoted lot. Corrections, if any, shall be made by crossing out, initialling, dating and re writing.
- b) All duties, taxes and other levies payable on the raw materials and components shall be included in the total price.
- c) Goods and Service Tax (GST) should be indicated separately.
- d) The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- e) The Prices shall be quoted in Indian Rupees only.

- f) The price quotation should include the transportation cost, loading, unloading, installation, among other. No additional cost that what is mentioned in the financial quotation will be paid by MBMA
- g) Bidder must expressly mention the name/brand of the items offered by them in the price schedule along with proper product brochures.
- h) The bidder must mention in details about the product being offered in lieu of the specified specifications and not by simply mentioning "Complied". Such bids with no proper details are likely to be disqualified.

6. Qualification of Bidders

- a) Have the legal capacity to enter into a contract;
- b) Not be insolvent, in receivership, bankrupt or being wound up or subject to legal proceedings for any of these circumstances;
- c) Not have had your business activities suspended or debarred from public procurement by the State Government of Meghalaya or Government of India.
- 7. **Documents Evidencing Qualification:** Bidders are requested to submit copies of the following documents as evidence of your qualification.
 - a. Valid trading license/registration or equivalent/Exemption Certificate.
 - b. Valid certificate of GST registration.
 - c. Self-declaration to the effect the bidder is not insolvent, in receivership, bankrupt or being wound up or subject to legal proceedings for any of these circumstances.
 - d. Self-declaration that the bidder's business activities are not suspended or debarred from public procurement by the State Government of Meghalaya, any other State Government or Government of India.
- **8.** Validity of Quotation: Quotations shall remain valid for a period not less than 90 days after the deadline date specified for submission.
- **9. Evaluation of Quotations:** The Purchaser will evaluate and compare the quotations lot wise that are determined to be substantially responsive i.e. which
 - (a) are properly signed; and
 - (b) Confirm to the terms and conditions and specifications.
 - (c) The Quotations would be evaluated lot wise; GST will not be taken into consideration while evaluating the quotations.
 - (d) Any historical information, if required may be asked from the bidders during evaluation of quotes.
- **10. Award of contract:** The Purchaser will award the supply orders to the bidders whose quotations have been determined to be substantially responsive in respective lots and who has offered the lowest evaluated quotation price for that respective lot.
 - a. Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract. The numbers against each item may increase or decrease at the time of issuing the Purchase Order.
 - b. The bidder whose quotation is accepted will be notified of the issue of Supply Order by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the supply order (sample form attached).
- 11. Payment shall be made within 60 days after delivery of the goods.

- 12. Normal commercial warranty/ guarantee shall be applicable to the supplied goods.
- **13.** You are requested to provide your sealed quote latest by 1600 hours on 28 August 2025. Quotations that have been submitted on or before time will be opened at 1630 Hrs. 28 August 2025. Late quotes will be rejected.
- 14. We look forward to receiving your quotations and thank you for your interest in this project.

Sd/-

Project Director, MPOWER, Meghalaya Basin Management Agency

FORMAT OF QUOTATION *

Lot#.	Descript	ion of Goods	Specifications (complied or not complied as per each specs along with Product Brochures.)	Total Qty.	Unit	Quoted Unit Rate Lot wise at destination in Rs.	GST and similar other taxes applicable on finished Goods/ Services	*Total Pric ite at Destin inclusive of all taxes a	m nation - discounts, nd duties
	T						T	In Figures	In Words
		Conference Table with PLU socket		1					
		Modular Tables		10					
		Revolving chairs with headrest		2					
		Revolving chairs with out headrest		18					
Lot#1	Furniture	Almirah		2					
		Plastic Armless Chair		10					
		Drawer/ Cabinets		10					
		Workstation Partitions		10					
		Bulletin Board		1					
		Glass Whiteboard		3					
	ı	a my	I						
Lot#2	IT Equipment's	Smart TV with projection & HDMI Cable		1					

Video Conferencing	1			
Camera				
Sound bar	1			
Printer MFP	1			

Gross	Total	Cost:	Rs.	•••••
-------	--------------	-------	-----	-------

We also confirm that commercial warrantee/guarantee of 12 months shall apply to the offered goods.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery or collusive agreements with competitors.

Signature of Supplier



MEGHALAYA BASIN MANAGEMENT AGENCY (MBMA)

Project Director, MPOWER,

Meghalaya Basin Management Agency

Regd. Address: House No. L/ A-56 Lower Nongrim Hills,

Shillong, East Khasi Hills, Meghalaya- 793003

(CIN No. U75144ML2012NPL008509) Phone: +91-364- 2522921/2522992

Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

SUPPLY ORDER

То:					
M/s					
••••••					
Dear Sirs	,				
Sub։ Supp	ply of				
Reference	e: Your Quotation no Dated		•••		
has been	accepted. You are requested to supply the pecified against each as per the specifications a	following goods/eq	uipment at th	ne rates quo	oted by
Lot#	and specified against each as per the specifications and terms & conditions specified here Lot# Brief description of goods/ equipment Specifications Quantity to R be supplied				
Lot#1	Total				
2. P 3. C 4. G al 5. E 6. P 7. A	Delivery Period: days from the date of lace of delivery	as from the date of dry; and acceptance	not already in lelivery and a of the goods/	acceptance.	
		(Purchaser) Date:			

TECHNICAL SPECIFICATIONS

Lot#	Sl.no	Items Description	Quantity	Specifications	Details	
		•		Туре	Conference Table	
				Shape	Rectangular	
				Size	8 ft (96 in) x 4 ft (48 in)	
				PLU Socket	Yes	
					- Power Sockets	2 x 3-pin power sockets (5A/6A or 13A rated depending on requirement)
				Socket Placement	Symmetrically placed on tabletop with flip cover/pop-up module	
				Power Rating	220–240V AC, 50 Hz	
				Tabletop Material	High-quality finished wood or laminate	
				Finish	Superior polish; waterproof and termite-proof	
				Coating	Powder-coated up to 70 microns using 7-tank process	
	1	Conference Table	1	Frame and Legs	Sturdy metal or wood frame with polished finish	
	1	with PLU Socket		Power Socket Module	Built-in recessed pop-up module with safety shutters	
Lot#1					USB Ports	Type-A and/or Type-C, fast charging (~18W PD) (optional depending on budget)
					Network Connectivity	RJ-45 Ethernet ports
				Cable Management	Concealed wire channels or cable grommets	
				Installation Type	Surface-mounted or flush-mounted with pop-up/sliding mechanism	
				Durability	Corrosion-resistant metal parts with anodized or powder coating	
				Additional Features	Manual rotary/swing or motorized pop- up socket options; easy wiring space underneath	
				Socket Module Dimensions	400-450 mm length, 100-120 mm width	
				I		
				Dimensions	4x2 ft	
				Thickness	2.5 cm	
	2	Modular Tables	10	Finish Color	Sugar white	
	_	1.10		Frame Materials	Particle Board	
				Legs	Straight Detachable, Powder Coated Steel	

			Design	Ergonomic swivel chair with adjustable headrest and 360-degree rotating base
			Material	Metal frame with powder-coated finish; breathable mesh or padded fabric seat and backrest
			Dimensions (W \times D \times H)	18 inches (width) × 18.1 inches (depth) × 45.5 - 50 inches (height including adjustable headrest)
				Weight Capacity
3	Revolving Chairs with Headrest	1	Features	- Adjustable padded headrest for neck support- Smooth rolling caster wheels- Comfortable padded seat and backrest- Adjustable height and tilt mechanism- Sturdy 5-star base for stability
			Intended Use	Suitable for office, conference rooms, and home workspaces
			Finish	Black or gray fabric upholstery; customizable upon request
			Assembly	Easy to assemble with included instructions
				XX7' 1 '.1 1 1.1 1.1
			Maintenance	Wipe clean with a damp cloth; durable and stain-resistant finish
			Maintenance Warranty	
				and stain-resistant finish
				and stain-resistant finish
			Warranty	and stain-resistant finish 1-year manufacturer warranty Mesh, breathable and contoured for
			Warranty Material Net Weight	and stain-resistant finish 1-year manufacturer warranty Mesh, breathable and contoured for lumbar support
			Warranty Material	and stain-resistant finish 1-year manufacturer warranty Mesh, breathable and contoured for lumbar support 14.5 – 15.5 kg
			Warranty Material Net Weight Seat Dimensions	and stain-resistant finish 1-year manufacturer warranty Mesh, breathable and contoured for lumbar support 14.5 – 15.5 kg Depth: 44.5 – 46.5 cm
			Warranty Material Net Weight	and stain-resistant finish 1-year manufacturer warranty Mesh, breathable and contoured for lumbar support 14.5 – 15.5 kg Depth: 44.5 – 46.5 cm Width: 47 – 49 cm Width: 65 – 67 cm Depth: 65 – 67 cm
			Warranty Material Net Weight Seat Dimensions Chair Dimensions	and stain-resistant finish 1-year manufacturer warranty Mesh, breathable and contoured for lumbar support 14.5 – 15.5 kg Depth: 44.5 – 46.5 cm Width: 47 – 49 cm Width: 65 – 67 cm Depth: 65 – 67 cm Minimum: 90.5 – 92.5 cm
	Revolving	10	Warranty Material Net Weight Seat Dimensions	and stain-resistant finish 1-year manufacturer warranty Mesh, breathable and contoured for lumbar support 14.5 – 15.5 kg Depth: 44.5 – 46.5 cm Width: 47 – 49 cm Width: 65 – 67 cm Depth: 65 – 67 cm Minimum: 90.5 – 92.5 cm Maximum: 100.5 – 102.5 cm
4	Revolving without Chairs	10	Warranty Material Net Weight Seat Dimensions Chair Dimensions Chair Height Range	and stain-resistant finish 1-year manufacturer warranty Mesh, breathable and contoured for lumbar support 14.5 – 15.5 kg Depth: 44.5 – 46.5 cm Width: 47 – 49 cm Width: 65 – 67 cm Depth: 65 – 67 cm Minimum: 90.5 – 92.5 cm
4		10	Warranty Material Net Weight Seat Dimensions Chair Dimensions	and stain-resistant finish 1-year manufacturer warranty Mesh, breathable and contoured for lumbar support 14.5 – 15.5 kg Depth: 44.5 – 46.5 cm Width: 47 – 49 cm Width: 65 – 67 cm Depth: 65 – 67 cm Minimum: 90.5 – 92.5 cm Maximum: 100.5 – 102.5 cm
4		10	Warranty Material Net Weight Seat Dimensions Chair Dimensions Chair Height Range Seat Height Range Arm Rest Height (from seat)	and stain-resistant finish 1-year manufacturer warranty Mesh, breathable and contoured for lumbar support 14.5 – 15.5 kg Depth: 44.5 – 46.5 cm Width: 47 – 49 cm Width: 65 – 67 cm Depth: 65 – 67 cm Minimum: 90.5 – 92.5 cm Maximum: 100.5 – 102.5 cm Minimum: 42.5 – 44.5 cm Maximum: 52.5 – 54.5 cm
4		10	Warranty Material Net Weight Seat Dimensions Chair Dimensions Chair Height Range Seat Height Range	and stain-resistant finish 1-year manufacturer warranty Mesh, breathable and contoured for lumbar support 14.5 – 15.5 kg Depth: 44.5 – 46.5 cm Width: 47 – 49 cm Width: 65 – 67 cm Depth: 65 – 67 cm Minimum: 90.5 – 92.5 cm Maximum: 100.5 – 102.5 cm Minimum: 42.5 – 44.5 cm
4		10	Warranty Material Net Weight Seat Dimensions Chair Dimensions Chair Height Range Seat Height Range Arm Rest Height (from seat)	and stain-resistant finish 1-year manufacturer warranty Mesh, breathable and contoured for lumbar support 14.5 – 15.5 kg Depth: 44.5 – 46.5 cm Width: 47 – 49 cm Width: 65 – 67 cm Depth: 65 – 67 cm Minimum: 90.5 – 92.5 cm Maximum: 100.5 – 102.5 cm Minimum: 42.5 – 44.5 cm Maximum: 52.5 – 54.5 cm
4		10	Warranty Material Net Weight Seat Dimensions Chair Dimensions Chair Height Range Seat Height Range Arm Rest Height (from seat) Arm Rest Depth	and stain-resistant finish 1-year manufacturer warranty Mesh, breathable and contoured for lumbar support 14.5 – 15.5 kg Depth: 44.5 – 46.5 cm Width: 47 – 49 cm Width: 65 – 67 cm Depth: 65 – 67 cm Minimum: 90.5 – 92.5 cm Maximum: 100.5 – 102.5 cm Minimum: 42.5 – 44.5 cm 18.5 – 27.5 cm 24.5 – 26.5 cm

			Туре	Steel storage almirah
5	Almirah	2	Material	Metal (rust and corrosion resistant) Practical Design, Secure Locking Facility, Customizable Smooth Hinge Operation, Internal Configuration, Shelving
			Doors	2 (Slab-style)
			Size	W91.4 x H183 x D46.3 cm
		1		
			Build Material	High-quality virgin plastic for lasting durability
			Design	Ergonomic design for prolonged sitting comfort
			Finish	Glossy finish for appealing look
	D1 4 A 1		Weight Capacity	110 kg
6	Plastic Armless Chair	10	Usage	Suitable for living rooms, offices, cafes, are outdoors
			Width (cm)	47
			Depth (cm)	51
			Height (cm)	89
			Weight (Kg)	2.12
			Warranty	1 year
			Size	W- 40-45 cm D- 45-50 cm H- 70-80 cm
7	Drawer	10	Material	Pre-laminated MDF, 2.5 cm thick
,	Diawei	10	Configuration	2 Pull out drawer 1 Pull out Cabinet
			Locking System	Central locking system (locks all drawers and cabinet)
	1		T	Loor
			Application	Office workstation separation; suitable for open-plan layouts and semi-private work zones
			Overall Dimensions	Length: 4 ft Breadth: 1 ft
			Core Material	Engineered wood core – MDF or particle board (E1 grade)
			Finish Options	Laminate gloss).
o	Workstation	10	Edge Banding	PVC/ABS edge band (1 mm or 2 mm) for smooth finish and protection
8	Partitions	10	Connection System	Modular knock-down design using bol clamp, or snap-fit connectors
			Cable Management	Integrated horizontal raceway with optional vertical cable ducts for power data routing
			Daires are Outions	Optional upper section in frosted glass
			Privacy Options	extended panels for visual separation

				Size	6 ft x 4 ft
				Surface Material	Softboard (9–10 mm thick) with felt
				Surface Color	Red
				Backing Material	Medium Density Fiber Board
	9		1	Frame Material	Anodized Aluminium (25–35 mm thickness) with rounded plastic corner caps
		Bulletin Board		Mounting	Wall-mounted with concealed brackets; screws included
				Usage Type	Pin-up only (supports thumb pins, push tacks)
				Weight	10–15 kg
				Optional Features	Lockable glass/acrylic cover, sliding doors, or magnetic combo board
				T	
				Product Name	Glass Whiteboard
				Size	6 feet (W) × 4 feet (H)
				Glass Type	Tempered safety glass, 4–6 mm thickness
		Glass Whiteboards	2	Surface Finish	Smooth, glossy, non-porous, easy to write and erase
				Frame Material	Aluminum frame with polished finish / Frameless option
	10			Mounting Type	Wall-mounted with concealed brackets
				Accessories Included	Mounting hardware, marker tray (if any)
				Durability	Scratch-resistant, stain-resistant
				Safety Features	Shatter-resistant, meets safety standards
				Warranty	Minimum 1 year manufacturer warranty
					G A TOTAL
				Duaduat	Smart TV Smart TV
				Product Screen Size	1.38 m (55 inches)
				Refresh Rate	50-60 Hz
				Resolution	3,840 x 2,160 (4K Ultra HD)
				Picture Engine	Advanced 4K Processing
				HDR Support	HDR10+
Lot#2	1	Smart TV with projection & HDMI Cable	1	Audio Output	Around 20W RMS with Dolby Digital Plus, Adaptive Sound
		TIDIVII Caule		Operating System	Tizen™ or Google TV OS, voice assistant compatibility
				Smart Features	Multiple smart features including OTT apps, voice assistant
				Connectivity	3 HDMI ports, 2 USB ports, Wi-Fi, Bluetooth
				Design	Slim, bezel-less

				Dimensions (with Stand)	1232 x 746 x 224 mm	
				Weight (with Stand)	15 kg	
				Power Consumption (Max)	145 W	
				Additional Features	Eco Sensor, Auto Power Saving, Accessibility (Voice Guide)	
				Warranty	1 year	
					Portable Projector	
				Resolution	Full HD (1920 x 1080) or HD (1280 x 720)	
				Brightness	2,000 to 4,000 lumens	
				Projection Size	30 to 120 inches	
				Connectivity	HDMI input, USB ports, Wi-Fi, Bluetooth	
				Lamp Life	20,000 to 30,000 hours (LED/LCD)	
				Built-in Speakers	3W to 10W output	
				Power Consumption	50 to 100 W	
				Design	Portable, lightweight	
				Warranty	1 year	
					HDMI Cable	
				Type	High-Speed HDMI cable supporting 4K	
				Length	1.5 to 3 meters	
				Features	Supports HDCP 2.2, 4K@60Hz, Ethernet channel (depends on cable)	
				Dimensions		
	2	Video Conferencing Camera	1	Specification	Details	
				Main Unit Height	104 mm	
				Main Unit Width	400 mm	
				Main Unit Depth	85 mm	
				Main Unit Weight	1.04 kg	
				Compatibility		
				Operating Systems:	Windows 10 or later, macOS (two most recent versions), Chrome OS (version 29.0 and above)	
				USB Port Requirement	USB 3.0 port required for Full HD video	
				Supported Platforms	Zoom, Microsoft Teams, Skype for Business, Google Meet, Cisco WebEx	
				Camera		
				Resolution	1080p Full HD at 30fps - 60fps)	
				Optical Zoom	10X optical zoom with autofocus	
				Digital Zoom	Up to 16X (varies by model)	
				Field of View	Horizontal approx. 60° to 70°	
				Pan Range	Motorized pan approximately ±170° to 340°	

				Tilt Range	Motorized tilt approximately ±90° to 120°
				Camera Presets	Up to 255 preset positions
				Auto-Frame	Supported on compatible Windows/macOS platforms
				,	Video Performance
				Maximum Resolution	1920 x 1080 (Full HD) @ 30fps or 60fps
				Video Compression	H.265, H.264, MJPEG supported
				Video Encoding Protocols	Compatible with standard streaming and conferencing protocols
					Audio
				Microphone	Integrated beamforming microphone array (typically 2-3 elements)
				Pickup Range	Up to 5 meters with optional expansion microphones
				Noise Suppression	Yes, active background noise reduction
				Frequency Response	90 Hz – 16 kHz
					speaker
				Max Volume	Adjustable up to ~90-95 dB SPL at 0.5 meters
				Additional	Anti-vibration enclosure for clear sound quality
				Со	nnectivity & Controls
				Connectivity	USB 3.0 wired; some models offer wireless options (Wi-Fi or Bluetooth) mainly for remote control
				Remote Control	IR or RF remote for pan, tilt, zoom, and preset recall
				Mounting Options	Tabletop, wall, or ceiling mounts available
				Package Contents	
				Items Included	Conference camera unit
					Remote control (IR or RF)
					USB 3.0 cable
					Power supply adapter
					Mounting hardware (wall/table/ceiling)
					User manual
					Warranty
				Warranty	2-year limited hardware warranty included
				T =	1
	3	Sound Bar	1	Configuration	5.1 Channel
				Total Power Output (RMS)	525 W
				Wireless Range (Bluetooth)	10 m
				Connectivity	Bluetooth, AUX, USB, HDMI (eARC), Optical, Wireless
				Wall-mountable Satellites	Yes
				Compatible Devices	Mobile, TV

				Remote Control Support	Yes		
				Color	Black		
				Dimensions (W×H×D)	50.2 × 25.2 × 102.4 cm		
				Sales Package	Soundbar, Subwoofer, 2 Satellites, Remote, Input cable, Wall-mount fasteners, User manual		
		l		Warranty	1 Year carry-in service center		
				Highlights	Dolby Atmos, Dual wireless rear satellites, HDMI eARC, Bluetooth 5.0, Wall mountable, Remote		
				Inkjet Print			
				Print Technology			
				Print Output	Color Printing Supported		
				Functionality	Print, Copy, Scan, Fax		
				Print Resolution	5760 x 1440 dpi		
				Duplex Printing	Yes		
				ADF Support	Yes		
				Connectivity	USB, LAN, Wi-Fi, Wi-Fi Direct		
	4	Printer - MFP		Ink Type	BTD60BK (Black), BT5000 C/M/Y (Color)		
				Ink Yield	13,000 pages (Black), 5,000 pages each (Cyan, Magenta, Yellow)		
			1	Ink Colors	Black, Cyan, Magenta, Yellow		
				Paper Handling	A3, A4, Letter, Legal (India/Mexico/US), Executive, A6, Envelopes, Photos		
				Monthly Duty Cycle	Up to 30,000 pages (approx.)		
				Ideal For	Offices, Design Studios, SMEs, Institutions requiring A3 & color printing		
				Additional Features	Borderless Printing, High Yield Ink, Energy Efficient		
				Warranty	1 Year On-site Warranty (region- specific)		
	1	Stand Fan	3	Feature	Specification		
Lot#3				Blade Sweep	400 mm		
				Motor type	Copper Motor		
				Power Consumption	115W		
				Speed (RPM)	2,150 RPM		
				Air Delivery	90 CMM		
				Speed Settings	3 Speeds		
				Protection	Thermal Overload Protector		
				Oscillation	Smooth 180° Swing		
				Body & Base	Rust Free, Sturdy base		
				Dimensions	135 cmx56 cmx24 cm		
				Warranty	2 Years		
				•			

				Feature	specification
				Color	Black/Silver
				Product Dimensions	
					14.8D x 6.9W x 23.4H Centimeters
				Recommended Uses	
				For Product	Office
			3	Mounting Type	Floor Mount
				3 heat settings	
					400 Watts, 800 Watts and 1200 Watts
				Noiseless Operation,	Powder. Effective Cord Length (in
				Rated Voltage-230 V, Coating Type	meters): 1.5
	2	11 /		Coating type	
	2	Heater			
					Neat & Clean Operation since there isn't
					any need for refrigerant or oxygen
					Dual Cafata Assurance Th
					Dual Safety Assurance - Thermal Fuse, Safety tilt switch to safeguard against
					improper installation
				Warranty	2 years on the product
				Dimensions	$\leq 300 \times 250 \times 150 \text{ mm (L} \times \text{W} \times \text{H)}$
					Minimum 1.5 m, 2-pin/3-pin plug as per
				Cable & Plug	local standard
				Warranty	1 year
	3	Electric Kettle	2	Color	any
				Special Feature	Automatic Shut-Off
				Package Information	Kettle
				Finish Type	Polished
				Capacity	1.8ltrs
				Voltage	120 Volts
				Material	Stainless Steel, Plastic
				Wattage	1500KW
				Damamat : ::	15 Litam DO Water David
				Parameter	15 Liters RO Water Purifier
				Parameter Purification Capacity	15 Liters RO Water Purifier 12-15 liters per hour
				Purification Capacity	12-15 liters per hour
				Purification Capacity Storage Tank	
				Purification Capacity	12-15 liters per hour 15 liters
				Purification Capacity Storage Tank Capacity	12-15 liters per hour
	4	Ro Water	1	Purification Capacity Storage Tank Capacity Purification	12-15 liters per hour 15 liters RO + UV + TDS Minimizer technology
	4	Ro Water Connection	1	Purification Capacity Storage Tank Capacity Purification Technology	12-15 liters per hour 15 liters
	4		1	Purification Capacity Storage Tank Capacity Purification Technology Number of	12-15 liters per hour 15 liters RO + UV + TDS Minimizer technology
	4		1	Purification Capacity Storage Tank Capacity Purification Technology Number of Purification Stages Membrane Type Max Inlet Water	12-15 liters per hour 15 liters RO + UV + TDS Minimizer technology 7- 10 stages Thin Film Composite
	4		1	Purification Capacity Storage Tank Capacity Purification Technology Number of Purification Stages Membrane Type Max Inlet Water Pressure	12-15 liters per hour 15 liters RO + UV + TDS Minimizer technology 7- 10 stages
	4		1	Purification Capacity Storage Tank Capacity Purification Technology Number of Purification Stages Membrane Type Max Inlet Water Pressure Minimum Inlet Water	12-15 liters per hour 15 liters RO + UV + TDS Minimizer technology 7- 10 stages Thin Film Composite
	4		1	Purification Capacity Storage Tank Capacity Purification Technology Number of Purification Stages Membrane Type Max Inlet Water Pressure Minimum Inlet Water Pressure	12-15 liters per hour 15 liters RO + UV + TDS Minimizer technology 7- 10 stages Thin Film Composite 0.3 to 2.0 kg/cm ²
	4		1	Purification Capacity Storage Tank Capacity Purification Technology Number of Purification Stages Membrane Type Max Inlet Water Pressure Minimum Inlet Water	12-15 liters per hour 15 liters RO + UV + TDS Minimizer technology 7- 10 stages Thin Film Composite 0.3 to 2.0 kg/cm ²

				Input Voltage	160-300 V AC, Operating voltage 24 V DC
				Power Rating	~40 Watts
				Water Source Compatibility	Underground, bore-well, overhead tank, municipal
				TDS Rejection	90 - 95%
				Recovery Rate	25%
				Dimensions (LxWxH in mm)	415 x 265 x 524
				Net Weight	~9.5 kg
				Additional Features	TDS Minimizer to maintain essential minerals, magnetic softener, anti-scalant balls
				Warranty	1 year (on RO pump and electrical components)
				Type	Countertop Microwave Oven
		Microwave	1	Capacity	21 L or 28 L
				Output Power	≥ 800 W
				Voltage	220–240 V AC, 50 Hz
				Controls	Digital or Mechanical
	5			Modes	Microwave, Defrost, Reheat (Grill optional)
				Turntable	Glass, 245–320 mm
				Safety	Child lock, Overheat protection
				Warranty	≥ 1 year (3–5 years on magnetron)
				Compliance	CE / BIS / IEC certified